Certificate of Accreditation

This is to certify that

FKSL LIMITED

FISAS HOUSE, PLOT 3268, FISAS ROAD, OFF AIRPORT ROAD, LUGBE-1 EXTENSION, ABUJA

Has been assessed by the Nigeria National Accreditation System and meets the requirements of the International Standard

ISO/IEC 17025:2017

with demonstrated technical competence in the field of

Testing

for the specific services listed on the approved Scope of Accreditation.

On behalf of the Nigeria National Accreditation System:

Testing
No. T0055

Effective Date: November 22nd, 2026
Certificate Expires: November 21st, 2030
Reaccreditation Date: May 21st, 2030

Scope of Accreditation

Chemical Testing Laboratory

FKSL LIMITED

FISAS HOUSE, PLOT 3268, FISAS ROAD, OFF AIRPORT ROAD, LUGBE-1 EXTENSION, ABUJA

Reference No.: TL0012D **First Accreditation Date: 22 11, 2026** **Issue No. 1: 12 11, 2026** **Valid to : 21 11, 2030**

Material or Products Tested	Types of Tests/ Properties Measured / Range of Measurements	Standard Specifications, Techniques/Equipment Used
CHEMICAL **Water, Soil / Sediment**	pH measurement	ISO 10390/ pH/conductivity/TDS tester
	Electrometric determination of Conductivity at 25°C	ISO 10390/ pH/conductivity/TDS tester
	Determination of Heavy Metals in Water/Wastewater and Soil/Sediment	ASTM D3974/ Atomic Absorption Spectrometer(AAS)
	Determination of Total Organic Carbon/Total Organic Matter In Soil/ Sediment	BS 1377 Part 3 No.3/ Weighing balance, Burette
	Soil Particle Distribution	BS 1377: part 2: 1990, Aerometer Weighing balance, oven, stopwatch